




REVISIONS				
REV.	ZONE	DESCRIPTION	DATE	INITIAL
1	1B,2B,2C,8D	CHANGED "WORKING" TO "DESIGN" & TEMPERATURE FROM 200°F TO 160°F IN TECHNICAL DATA TABLE. ADDED 3" TO INLET LENGTH, INCREASED OUTLET TO FLUSH OUTLET DIMENSION.	05/17/13	S.P.



**TECHNICAL DATA**

FLOW RATE	MAX. 600 GPM (136 m <sup>3</sup> /hr)
SCREEN SIZE	___ MICRON
SCREEN AREA	5.0 SQ. FEET
DESIGN TEMPERATURE	160 °F
DESIGN PRESSURE	150 PSI
EMPTY WEIGHT	~175 LBS.
FULL WEIGHT	~425 LBS.

NOZZLE	CONNECTION	TYPE	SIZE	RATING	TOLERANCES (UNLESS OTHERWISE SPECIFIED)			
K1	HIGH PRESSURE CONN.	THREADED	1/4" NPT(2)	CLASS #150 F.F.S.O.			FRAC. ±1/16	
K2	LOW PRESSURE CONN.	THREADED	1/4" NPT		CLASS #150 F.F.S.O.	ANGLE ±1°		
K3	HYDRAULIC CONN.	THREADED	1/4" NPT			.X ±.1 .XX ±.05 .XXX ±.010		
N1	INLET	FLANGED	4" ASA			<b>MATERIAL:</b> SST	<b>TITLE:</b> MTF4-XL FILTER, CUT DRAWING	
N2	OUTLET	FLANGED	4" ASA			<b>DRAWN BY:</b> S. PERKINSON		
N3	FLUSH OUTLET	THREADED	2" NPT			<b>DATE:</b> 11/11/11	<b>DRAWING NUMBER</b>	
					<b>SCALE:</b> 1:11	<b>SHEET:</b> 1 OF 1	<b>REV</b>	
						MTF-4XL-CUT-01	1	