

| REVISIONS | | | | |
|-----------|-----|-------------|------|----------|
| ZONE | REV | DESCRIPTION | DATE | APPROVED |
| | | | | |

TECHNICAL DATA


| | |
|------------------|--------------------|
| Flow Rate | Max. 10,000 GPM |
| Screen Size | 500 Micron |
| Screen Area | 24.0 sq.ft (Perf.) |
| Working Temp. | 200 deg. F |
| Working Pressure | 150 PSI |
| Empty Weight | 1200 lbs. |
| Full Weight | 2500 lbs. |

| NOZZLE | CONNECTION | TYPE OF CONNECTION | SIZE | RATING |
|--------|------------------|--------------------|--------------|---------------|
| K1 | Hi. Press. Conn. | Threaded | 1/4" NPT(2) | 150 lbs. F.F. |
| K2 | Low Press. Conn. | Threaded | 1/4" NPT (2) | |
| K3 | Hydraulic Conn. | Threaded | 1/4" NPT(2) | |
| N1 | Inlet | Flanged | 20" ASA | |
| N2 | Outlet | Flanged | 20" ASA | |
| N3 | Flushoutlet | Threaded | 2" NPT | 150 lbs. F.F. |

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES

| | |
|-----------|-----------|
| DECIMALS | ANGULAR |
| XX ± .05 | ± 0.5 DEG |
| XXX ± .01 | |

| | |
|-----------------|---------|
| DRAWN | DATE |
| Daniel Stenberg | 3-27-06 |
| CHECKED | |
| DESIGN | |



FLTR
Purple Engineering

TITLE
**CSB 20-S
Coarse Screen Brush
Filter**

| | | |
|------|---------|-----|
| SIZE | DWG NO. | REV |
| A | CSB20-S | 0 |

NOT TO SCALE SHEET OF